

POSSELT'S HAND BOOKS
OF THE TEXTILE INDUSTRY, VOL. I.

Dictionary of Weaves

PART I.

Lexicon der Gewebemuster

Band I.

Manuel des Dessins du Tissage


Ire Partie

TEXTILE PUBLISHING COMPANY

154 North 21st St., Philadelphia

London, Eng.: Sampson Low, Marston & Co., Ltd.

SPECIAL
COLL
TS
1490
.P82
1914



NORTHROP LOOMS

TRADE MARK REGISTERED

**EARN MORE WAGES FOR THE WEAVER
LARGER DIVIDENDS FOR THE MILL**

DRAPER COMPANY
HOPEDALE MASS.

J. D. Cloudman, Southern Agent, 40 So. Forsyth St.,
Atlanta, Ga.

CROMPTON & KNOWLES

LOOM WORKS

Builders of LOOMS for every
known woven fabric

WORCESTER, MASS.

Providence, R. I.

Philadelphia, Pa.

UMass Dartmouth


JACQUARDS All Types & Sizes

8 to 32 Harness
Single & Double Index

DOBBIES

THOS. HALTON'S SONS - Philadelphia

BETTER FACILITIES




for preparing Jacquard cards
— The Royle Card-Cutting
Machines. Automatic move-
ments; dependable action
throughout.

Write for catalog

John Royle & Sons
PATERSON, N. J., U. S. A.

PIANO MACHINES, LACERS,
REPEATERS



THE DOUBLE, BURNISHED OR DIAMOND FINISHED
RIBBED RING WHITINSVILLE
MADE BY THE WHITINSVILLE SPINNING RING CO. MASS.

THE BEST THAT EXPERIENCE CAN PRODUCE, THAT MONEY CAN BUY

HAND BOOKS OF THE TEXTILE INDUSTRY, VOL. I.

Dictionary of Weaves

PART I.

**A COLLECTION OF ALL WEAVES FROM
FOUR TO NINE HARNESS**

By E. A. POSSELT

Editor of Posselt's Textile Journal

**Two Thousand Weaves Conveniently Arranged
for Handy Use**

Lexicon der Gewebemuster

Band I.

**Eine Sammlung von allen Gewebemustern von vier bis neun-
schäftig. Zwei Tausend Gewebemuster für den
praktischen Gebrauch geordnet.**

Manuel des Dessins du Tissage

Première Partie

**Une collection de Tous Genres des Dessins du Tissage
de Quatre à Neuf Lisses.
Deux Milles Dessins Classés à Convenance.**

TEXTILE PUBLISHING COMPANY

2154 North 21st Street, Philadelphia

London, Eng.: Sampson Low, Marston & Co., Ltd.

PREFACE

The purpose of these Hand Books is to bring the Various Branches of the Textile Industry conveniently arranged before the reader so that he may consult whatever subject of the Industry he is more particularly interested in.

The present Volume of this Series of Hand Books, the

Dictionary of Weaves, Part 1,

covers a collection of all the Weaves for Four, Five, Six, Seven, Eight and Nine Harness, and which will be followed by successively issued parts, covering all the weaves possible to be made up to Twenty-four Harness. One of these parts will be issued regularly every year, the next part to deal with Ten, Eleven and Twelve Harness Weaves, etc.

In designing these weaves, stress has been laid on selecting such weaves as will be of practical value.

The various repeats of this collection of weaves have been kept separate as much as possible; the repeat of the warp-threads, *i. e.*, number of harnesses necessary for each weave is indicated on top of each page, whereas the numerals on the bottom of each page indicate a summary of the repeats of all weaves given, both warp and filling ways. The numeral in front of the multiplication sign indicates the repeat for the warp-threads, the numeral after the multiplication sign that for the filling.

The grouping of the various repeats of weaves on each plate are such that the eye can readily grasp the repeat filling ways of any one of the collection of weaves given, by consulting the sets of numerals at the bottom of the page, and which, provided more than one set of numerals are used, are indicated corresponding side by side to that of the arrangement of the weaves in the collection above it.

Wherever possible to do so four repeats of the weave are given in order to convey a good idea of its general effect in the fabric. To simplify subject to the designer, in most all instances complete repeats of a weave are given, whereas with such weaves where more than one repeat is shown in order to bring such weaves within compass of the plate (referring to large pronounced effects) by consulting the proper set of numerals on the bottom line the eye will readily grasp the repeat of the pattern.

With reference to other Branches of the Textile Industry and which will be taken up in successively issued volumes of these Hand Books, besides the serial continuation of the Dictionary referred to, Books on the following subjects are now in course of preparation: Designing and Weaving of Narrow Ware Fabrics; The Finishing of Ribbons and Trimmings; The Analysis of Textile Fabrics; Silk from Cocoon to Loom, etc.

VORWORT

Der Zweck dieses Werkchens

Lexicon der Gewebemuster, Band 1,

ist, jedem Webereibeflissenen zu ermöglichen mit einer Vorrichtung von Vier bis Neun Schäften massenhafte Musterungen auszuführen. Nur Bindungen von praktischem Werth sind gegeben.

Jedes Jahr wird ein neuer Band erscheinen; der nächste wird die Gewebemuster für Zehn, Elf und Zwölf Schäfte bringen.

INTRODUCTION


Le present volume d'une serie de manuels couvre une


Collection d'Armures, Première partie

toutes les armures pour quatre, cinq, six, sept, huit et neuf lisses.

D'autres volumes vont suivre, couvrant toutes les armures possibles jusqu'à vingt-quatre lisses.

Un volume va paraître chaque année, le prochain contiendra les armures à dix, onze et douze lisses.

 4×4 4×6 4×8



4 × 3

4 × 6


4 × 4


4 × 8


4 × 10


4 × 9

4 × 11

 4×12 4×16 4×28 4×32

 4×8 4×12 4×16


 4×14 4×18 4×20 4×24




5 × 5

5 × 10

5 × 15








5 × 10

5 × 15

5 × 20


 5×10 5×15 5×20

 5×8 5×9 5×25 5×30



6 × 6


6 × 12





6 × 6


6 × 12


Delaware


 6×6 6×12

 6×4 6×8 6×9 6×10 6×12

 6×6 6×16 6×18

 6×6 6×18


 6×8 6×9 6×10 6×18





6 × 8


6 × 12

6 × 24


 6×3 6×6 6×24 6×30


 6×10 6×14 6×15 6×30


 6×12 6×18 6×36





6 × 6 6 × 20 6 × 21 6 × 22 6 × 24 6 × 42 6 × 48


 7×7 7×14


 7×7 7×14 7×21


 7×7 7×14 7×21


 7×7 7×14 7×21


 7×7 7×14 7×21


 7×8 7×14 7×28


 7×14 7×28 7×21


 7×7 7×21 7×28


 7×7 7×14 7×35


 7×10 7×12 7×35 7×42


 7×7 7×21 7×49 7×56


 8×8 8×12


 8×8 8×12 8×4


 8×8 8×12 8×6


 8×8 8×12


 8×8 8×12


 8×8 8×12


 8×8 8×12


 8×8 8×10 8×12 8×14


 8×4 8×8 8×16


 8×8 8×12 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16


 8×8 8×16

 8×8 8×16

 8×8 8×16

 8×8 8×16


 8×8 8×12 8×20





8 × 4


8 × 8


8 × 24


 8×8 8×14 8×16 8×17 8×24


 8×8 8×16 8×24


 8×8 8×24


 8×8 8×24


 8×8 8×24


 8×8 8×24


 8×8 8×24


 8×8 8×24


 8×5 8×8 8×12 8×16 8×24 8×32


 8×14 8×24 8×32


 8×8 8×32 8×12


 8×8 8×40

 8×8 8×40

 8×8 8×48


 8×8 8×10 8×56

 8×36 8×80




9x9


9x36





9 × 9


9 × 18

 9×9 9×18

 9×9 9×18

 9×9 9×18





9x8 9x9 9x10 9x18 9x20 9x36 9x45 9x72

Frank Fischer, Pres.

Leonard Keiser, Vice-Pres.

Herbert Bond, Sec. & Treas.

ESTABLISHED 1892

FISCHER & BOND,

(INCORPORATED)

**Jacquard Card Cutters Reed and Harness Makers
General Mill Supplies**

**Main Office and Factory: RAILROAD AVENUE and WARD STREET
Opposite Erie R. R. Depot Telephone 2790**

Annex: (Reed and Harness Shop) 48 REDWOOD AVENUE, Telephone 3370

PATERSON, N. J.

Jacquard Card Cutting and Repeating, for Fine Scale, Standard Scale and French Scale.

Card Lacing and Mill Banding.

Jacquard and Dobby Cards, in ton or carload quantities.

Card Wires, Buff and White Paper, Kraft, Manilla and Express Paper.

Corrugated Paper in Rolls and Sheets.

Ribbon Paper, Beaming Paper and Finishing Papers.

Ribbon Harness (Single and Double), Plain Harness.

Broad Silk Wire Harness, Jacquard Harness, Mail Harness, Lingoes.

Bobbins and Quills.

Warp Rods.

Lug Straps, Leather Pickers.

Loom Pickers, Loom Cords.

Twines, Yarns and Cordage.

Cable Laid Flax, Warp Cord and Harness Thread.

Lubricating Oils and Greases.

Alexander Belting it cannot be excelled.

Water, Steam and Oil Proof Belting, Special Spindle Belt.

Round Belt, Belt Lacing Leather Slabs.

Belt Oil.

Quick Set Belt Cement.

“ To Your Interest ”

**You will buy Jacquard
Cards right, if you
buy from a Jacquard
Card Cutter**

We have been making this a study and a specialty for years, and know what is required of a Jacquard Card.

We are headquarters in this specialty, and carry the largest stock in the following grades:-

CHIPBOARD

NEWSBOARD

**DOUBLE MANILA LINED
NEWS and CHIP BOARD**

BROWN JUTE FIBRE

**DOUBLE MANILA LINED-
JUTE**

SOLID MANILA

**AIR DRIED GRANITE-
BOARD**

THE ROSSENDALE-REDDAWAY BELTING & HOSE CO.

NEWARK, N. J.,

U. S. A.



Beware of Imitations!

Look out for our Trade Mark!

“Camel” Belting, “Camel Hair” Belting

This belt is remarkable for its great strength (almost twice that of the leather belting), long life, small slippage, minimum stretching, straight true running, and for the fact that it is less affected by dampness or acid fumes than any other kind of belting. This belting is also sold under a guarantee that it will give longer, better service than any other style of belting running under the same conditions. Made in four thicknesses as follows:

SINGLE “CAMEL” which corresponds to single leather or to 4-ply canvas and rubber.

MEDIUM “CAMEL” which corresponds to heavy single leather or to 5-ply canvas and rubber.

DOUBLE “CAMEL” which corresponds to double, and heavy double leather or to 6- to 8-ply rubber and canvas.

Extra heavy “Camel” to correspond to triple leather and all extra heavy types of belting.

“BLACK-BIRD” WOVEN COTTON BELTING

FOR TRANSMISSION AND CONVEYOR WORK

An improved woven belt manufactured under high tension from the finest quality of long-staple cotton.

Impregnated with a special composition which protects the fibre, keeps the belt pliable, and prevents it from becoming hard and dry.

Will run well in steamy or wet places and on drives exposed to the weather.

**We also manufacture Stitched Canvas Belting
in all plies and various weights**

Incorporated 1890

Capital \$150,000

SHAMBOW SHUTTLES

1. Weave fewer seconds
2. Preserve bobbins
3. Wear longest

"Weave better
fabric at
less
expense"



SEND
FOR SAMPLE
AND PRICES
OF OUR
LATEST DESIGN
"EFFICIENCY" SHUTTLE

—WRITE—

Shambow Shuttle Co.

Woonsocket

R. I.



Winders	Warpers
Quillers	Re-Reels
Cop Winders	Stripping Stands
Twist Testers	Automatic Power Reels



THIS IS THE FIRM

of new ideas. We are constantly originating improvements that enable you to do better work at less cost, hence it pays to find out what we are doing before you buy machinery. Just now, we are doing important work in Winders. Better write us for details.

THE SIPP MACHINE CO.

Keen & Warren Sts. & Erie R. R.

Paterson

-

New Jersey

ESTABLISHED 1875

Reeds, Heddles Heddle Frames, Etc.

Reeds for Cotton, Woolen, Duck and
Carpet Weaving

Soldered Reeds for Plush Weaving

Iron & Wood End Frames for all Classes
of Weaving

Gauze & Doupe Reeds for Doupe Weaving

Iron & Twin Steel Wire Heddles

Slasher Combs

Liece Reeds

Raithes

Doupe Heddles

Canvas Pickers

Canvas Lug Straps

Liece Rods

We have helped a number of mills with reed
troubles. Perhaps we can help you.

Write Us for Prices, Etc.

WALKER MFG. CO.

Kensington Ave. and Ontario Sts.

PHILADELPHIA, PA.

Technology of Textile Design

A Practical Treatise on the Construction and Application of Weaves
for all Kinds of Textile Fabrics, Giving Also Full
Particulars as to the Analysis of Cloth

By E. A. POSSELT

Editor of Posselt's Textile Journal

*In One Vol., Quarto. Bound in Cloth, 350 Pages, With
Over 1500 Illustrations. Price Five Dollars,
Postage Prepaid, Delivery Guaranteed.*

ABSTRACT OF CONTENTS:

DIVISION OF TEXTILE FABRICS ACCORDING TO THEIR CONSTRUCTION. SQUARED DESIGNING PAPER.

FOUNDATION WEAVES: PLAIN. TWILLS. SATINS.

DRAWING-IN DRAFTS.

DERIVATIVE WEAVES: RIB WEAVES. BASKET WEAVES. BROKEN TWILLS. STEEP TWILLS. RECLINING TWILLS. CURVED TWILLS. COMBINATION TWILLS. CORKSCREWS. ENTWINING TWILLS. DOUBLE TWILLS. CHECKERBOARD TWILLS. FANCY TWILLS. POINTED TWILLS. DOUBLE SATINS. GRANITES. COMBINATION WEAVES. COLOR EFFECTS.

SPECIAL SINGLE CLOTH WEAVES: HONEYCOMB WEAVES. IMITATION GAUZE WEAVES. ONE SYSTEM WARP AND TWO SYSTEMS FILLING. SWIVEL WEAVING. TWO SYSTEMS WARP AND ONE SYSTEM FILLING. LAPPET WEAVING. TRICOTS.

DOUBLE AND MORE PLY CLOTH: REGULAR DOUBLE CLOTH. WORSTED COATINGS. MATELASSES. QUILTS. RIB FABRICS. THREE, FOUR, ETC., PLY FABRICS.

PILE FABRICS: VELVETEENS. FUSTIANS. CORDUROY. CHINCHILLAS. CHENILLE. FRINGES. VELVETS. PLUSHES. TAPESTRY CARPETS. BRUSSEL'S CARPETS. DOUBLE FACED CARPETS. DOUBLE PILE FABRICS. TERRY PILE FABRICS. SMYRNA CARPETS AND RUGS. IMITATION TURKEY CARPETS.

TWO PLY INGRAIN CARPETS. GAUZE FABRICS. THE JACQUARD MACHINE. GOBELIN TAPESTRY. ANALYSIS OF TEXTILE FABRICS.

NOVELTIES IN DESIGNING: DESIGNING WEAVES BY FOUR CHANGES. SHADED FABRICS. SOLEIL WEAVES. CHECK PATTERNS. CRAPE WEAVES. HUCK PATTERNS. WOVEN TUCKS. CRIMP STRIPES. BEDFORD CORDS. CROCODILE CLOTH. LARGE DIAGONALS. TO INCREASE THE THICKNESS OF A FABRIC WITHOUT SPECIAL BACKING THREADS. BRACKET WEAVES. FRINGES. PEARL EDGES.

**THIS IS THE MOST IMPORTANT BOOK ON
TEXTILE DESIGNING EVER PUBLISHED**

Complete Circulars mailed upon application.

Textile Publishing Company
2154 North 21st Street Philadelphia, Pa.

The cuts in the fabric are shown at the places indicated by *e* and *f*. Letter *S* indicates the place where the first warp-thread and the first pick meet—the point for commencing to "pick-out."

After the sample is prepared according to the illustration just given, raise the first pick about $\frac{1}{4}$ of an inch with the "picking-out needle." See Fig. 1010.

Place the sample in the left hand as shown in diagram 1011, next ascertain the arrangement of interlacing pick number 1, warp-ways, until repeat is obtained.



FIG. 1011

is *entirely* removed so that no small pieces of the thread remain in the fringed part of the warp; for if such should be the case it might lead to mistakes in examining the next adjoining pick.

III. Ascertaining Raw Materials Used in the Construction of a Fabric.

In most cases an examination of the threads liberated during "picking-out" with the naked eye will be sufficient to distinguish the material used in the construction of the fabric yet sometimes it is found necessary to use the microscope or a chemical test for their detection. For example: Tests might be required to show whether a certain thread is all wool or whether a certain thread is all silk, etc. For solving such questions, the following methods are given:

A common and ready method for ascertaining the difference between animal and vegetable fibres is to burn some of the threads of yarn in a flame. The vegetable fibre is composed of carbon, hydrogen and oxygen, while the animal fibre, in addition to these, contains nitrogen. By burning, the threads used in testing the first mentioned fibre will result in carbonic acid and water, while those of the latter, or of animal fibre, result in combinations containing nitrogen which element readily makes itself known by its peculiar smell or disagreeable odor similar to burnt feathers. Another point which it is well to note is the rapidity with which the thread composed of vegetable origin burns as compared with the burning of the thread having an animal substance for its basis. In the latter case, only a little bunch of porous carbon forms itself at the end submitted to the flame, and it does not form a flame as in the case of the former. As in some instances these two tests will be found unreliable, a more exact analysis may be required. If so, proceed after one or the other of the following formulas:

To Detect Cotton or other Vegetable Fibre in Woolen or Silk Fabrics.

Boil the sample to be tested in a concentrated solution of caustic soda or potash, and the wool or silk fibre will rapidly dissolve, producing a soapy liquid. The cotton or other vegetable

W Posselt's Textile Journal

A Monthly Journal of the Textile Industries

Table of Contents

Dictionary of Weaves: - Chalmers	57
Figuring With Double Plain Reversibles: - Harness and Jacquard Work	57
Woolen and Worsted Spinning: - Cotton, Woolen and Worsted Spinning; Silk from the Raw Fibre to the Finished Fabric; Cloth Analysis and Calculations; Dyeing and Finishing Processes; Reviews of the Market and Suggestions as to the Creation of New Styles, Color Combinations, etc.; as well as a general report on the News of the Textile Mills.	57
Dyeing Black Silk	63
Novelties from Abroad: - Dressgoods	64
Silk Throwing	65
The Manufacture of Fancy Yarns	66
Cotton Spinning: - Ring Frame	67
Recent Textile Markets	70
Dictionary of Technical Terms Relating to the Textile Industry	73
Microscopical Comparison of Flannel and Flannellette	74
Directory of Trade Marks Relating to the Textile Industry	76
Industrial Silk Manufacture	77
Spinning: - Trade	79
Late Improvement in Textile Devices	79
Natural and Artificial Light upon Colors	79
How to Test the Various Finishes of Cotton Goods	80
Crimpled Effects on Silk	81
The Manufacture of Sweater Goods	83
Review of the Hosiery and Knit Goods Trade	84
Buyers' Index	VI
Dyeing and Finishing of Hosiery and Knit Goods	VI
Smith's Gas-Singeing Machine	VI
Mill News	XVI

Copyrighted 1911
 by E. A. POSSELT

Entered as second-class matter February 10, 1907, at the post office at Philadelphia, Pa., under the Act of Congress of March 3, 1879.

E. A. Posselt, Publisher, 2152-2154 N. 21st St., Philadelphia, Pa.
 European Agents: Sampson Low, Marston & Co., Ltd., 100 Southwark Street, London, E. 1.

Posselt's Textile Journal

E. A. POSSELT, *Editor and Publisher*

From the standpoint of the practical information which it contains it is of value to every manufacturer, superintendent, overseer and operative, among whom it is widely circulated. It is the leading and by far the most valuable of all textile trade publications.

Special features in every issue: Discussions on Designing and Fabric Structure; Cotton, Woolen and Worsted Spinning; Silk from the Raw Fibre to the Finished Fabric; Cloth Analysis and Calculations; Dyeing and Finishing Processes; Reviews of the Market and Suggestions as to the Creation of New Styles, Color Combinations, etc.; as well as a general report on the News of the Textile Mills.

Another interesting subject this Journal contains is the serial issue of the "Dictionary of Technical Terms Relating to the Textile Industry," as appearing regularly every month, nothing of its kind being published in any language.

Subscription, \$2.00 per year. Canada, \$2.50. Foreign, \$3.00

Sample copies mailed upon application.

POSSELT'S TEXTILE JOURNAL, Philadelphia, Pa.

The John F. Trainor Company

COTTON YARNS

AMERICAN, EGYPTIAN, SEA ISLAND
NATURAL AND MERCERIZED

291 Broadway

New York City

THOMAS H. BALL

WORSTED YARNS } ENGLISH & FRENCH
SYSTEM

PHILADELPHIA, 15 So. 3rd Street - - - BOSTON, 683 Atlantic Ave.
CLEVELAND, 2356 E. 40th Street - PROVIDENCE, 309 Industrial Trust Bldg.
NEW YORK, Knitting Yarns Office, 251 Fourth Ave. - - MILWAUKEE, 277 ½ 20th St.

HOFMANN & ELLRODT, Inc.

109-111 Spring Street

New York City

Organ and Tram Silks

We are interested in buying Odd Lots of Raw, Thrown and Dyed
Silks in skeins, on spools, warps or warp ends.

Cotton, Wool, Schappe, Spun Silk, Colored and Raw Silk Waste of
every description.

F. ROLKER

RAW SILK IMPORTER

Specialty High Grade Italians
for Single Weaving

23 EAST 26TH ST.

NEW YORK CITY

DAVIDSON & WEYAND

Designing—Card Stamping—Repeating

For All Textile Fabrics

2525 North 2nd Street

PHILADELPHIA, PA.

D. & J. RUSHTON

Textile Designers

Correspondence Invited

PATERSON, N. J.

WILLIAM S. BUTZ

Jacquard Designer and Sketcher

SMITH BUILDING

175 MARKET STREET

PATERSON, N. J.

Telephone Connection

Widmer Bros.,

Looms and Battons

106-114 North 7th St.,

Paterson, N. J.

H. RIGBY & SONS

JACQUARD HARNESS BUILDERS

Shaft Harness, Reeds, Shuttles and
General Mill Supplies

32 VINE STREET

PATERSON, N. J.

WM. COCHRAN CO.

JACQUARD CARD CUTTERS

For All Textile Fabrics


Repeating 51 and 52 Rows. French Scale.
Also Fine Index, 1304 Hooks

181-185 Ellison St.

PATERSON, N. J.

Telephone Connections

Thousand Spindle Creel



1000 SPOOLS

($2\frac{1}{4}$ " diam. 4" long)

Each row of spools has a comb reed to separate the ends before going over the porcelain roll at top of row.

A comb reed—used in front of the glass bars—having the same number of dents as there are pins on the creel, is furnished with each.

These creels are made for any size spool from $1\frac{1}{2}$ to $4\frac{1}{2}$ inches diameter, 3 to 7 inches long.

Occupies a minimum of floor space. Reed space but 50 inches. No excessive angularity. Tension reduced. One thousand ends under operator's vision in less space than any other creel.

Full Particulars and Description upon request

Chas. H. Knapp

Wait and Rye Streets


PATERSON, N. J.

The Whitin Machine Works

WHITINSVILLE, MASS.

— Builders of —

Cotton Mill Machinery



DOBBY LOOM WITH LENO MOTION

Looms for weaving all varieties of Cotton Goods

Looms for Worsted and Silk Goods

Southern Agent, Stuart W. Cramer, Charlotte, N. C.

WIRE HEDDLES

Of Iron Wire or Tempered Steel Twin Wire Sold ered

OUR Heddle equipment is the largest in the Country and capable of producing 200,000 heddles per day. Sizes range from No. 18 wire, for heavy cotton duck weaving, etc., to No. 35 wire, for fine yarns, silk, etc. We make all sizes of wire in any length and any size or shape of eye. All regular sizes are in stock for immediate shipment, and can fill orders promptly for special sizes to sample. Samples mailed anywhere upon application.


HOWARD BROS. MFG. CO., 44 and 46 Vine St., WORCESTER, MASS.

LOOM REEDS of uniform spacing with a smooth face

MATERIALLY AID IN THE PROPER
EXECUTION OF A GOOD DESIGN

These qualities you are assured when you send
your orders to

THE WHITAKER REED CO. Worcester, Mass.



Bradley Stencil
Cutting Machines
and
Shipping Dept. Supplies

Geo. C. Decker

Cuts cardboard shipping
Stencils in a half minute. 15 & 17 South 3rd St., Phila., Pa.

ULRICH COMPANY

GENERAL MILL SUPPLIES

Tel. : Sub. 6 N. Y. & N. J., 295

Ulrich Mill, PATERSON, N. J.

Reeds, Harnesses, Lingoos, Shuttles.

Mails, Quills and Ribbon Blocks.

Wire and Red Eye Heddles and Baked Harnesses.

Wire Heddle Frames. We make a specialty of Fancy and
all kind of Doup Harnesses.

Wool, Cotton, Silk

From Fibre to Finished Fabric

By E. A. POSSELT
Editor of Posselt's Textile Journal

*In One Vol., Quarto. Bound in Cloth, 473 pages,
Thousands of Illustrations. Price Five Dollars,
Postage prepaid, Delivery guaranteed.*

THIS book contains detail information as to the various machines and processes used in the manufacture of either Wool, Cotton or Silk, from the Raw Material to the Finished Fabric, including Weaving and Knitting.

The various chapters cover information as to the

**Raw Materials: Wool, Cotton, Silk,
Flax, Hemp, Jute and Ramie.**

**Preparatory Processes: Carding, Drawing,
Spinning and Twisting.**

**Winding, Warping and Weaving.
Knitting.**

Dyeing, Bleaching, Mercerizing.

Finishing Woolen and Worsted Cloth.

**Heat, Power, Speeds and
Transmission.**

The information contained in the chapters on Fibres, the various Finishing Processes and its Machinery used is a most complete treatise on the subject and will be found of incalculable value by any Manufacturer or Finisher of Cotton, Woolen or Worsted Fabrics.

Complete Circulars mailed upon application.

Textile Publishing Company

2154 North 21st Street

Philadelphia, Pa.

large, white, coarse, long wool, and the breed has become practically native to this country. The structure of the fibres is shown in Fig. 10. In the Cotswold, we find the lines indicating the edges of

fibres are examined in the natural state with the microscope, we find extending through the centre a band of matter more or less broad, which is very much more opaque than the matter surrounding it.



Fig. 9.

the scales more irregular and broken than in the Leicester and Lincoln; and more so in the Lincoln than in the Leicester. In all of them the scales are more or less oblong, but in width they are much larger than in the Downs and Merinos

If we compare locks of Cotswold and Lincoln wool




Fig. 10.

we find that a larger proportion of the fibres in the former are more white and opaque than the others, and that the whole bunch has very much less of lustre than the Lincoln wool. When these Cotswold




Fig. 11.

The forms of this band are given in the illustration of Cotswold wools. It appears to be of irregular thickness and to allow more light to pass through at certain places than at others.

The Oxford Down Sheep is also of English origin, being a cross between the Cotswold ram and the Hampshire Down ewe. The wool produced by the Oxford Down is finer and firmer than that of the Cotswold and has a staple of from 5 to 7 inches in length, the average weight of the fleece being 9 pounds. Fig. 11 shows typical specimens of these fibres highly magnified. The wool of this sheep, as well as that from the Cotswold, the Leicester and the Lincoln are the most important classes of what we term long staple wools, vice versa the Merino and the Southdown sheep, which are the most important




Fig. 12.

breeds of sheep, producing what we term short staple, carding or clothing wools.

The Merino Sheep. The original home of this animal is Spain, from there they have been spread

The Jacquard Machine

ANALYZED AND EXPLAINED:

The Preparation of Jacquard Cards and Hints to
Learners of Jacquard Designing

By E. A. POSSELT

Editor of Posselt's Textile Journal.

In One Vol., Quarto. Bound in Cloth. With 230 Illustrations and Numerous Diagrams. Price, Three Dollars, Postage prepaid, Delivery guaranteed.

ABSTRACT OF THE CONTENTS:

History of the Jacquard Machine.

The Jacquard Machine — General Arrangement and Application.

Illustration of the different parts of the Jacquard Machine — Method of Operation, etc.

The Jacquard Harness — The Comberboards.

Tying-up of Jacquard Harness.

I.—Straight-through Tie-up.

II.—Straight - through Tie-up for Repeated Effects.

III.—Straight-through Tie-up using Front Harness.

IV.—Centre Tie-up.

V.—Straight-through and Point Tie-ups Combined.

VI.—Straight-through Tie-up in Two Sections.

VII.—Tying-up for Figuring with an Extra Warp

VIII.—Straight - through Tie-up in Three Sections.

IX.—Point Tie-up in Three Sections.

X.—Combination Tie-up in Two Sections.

XI.—Straight-through Tie-up in Four Sections.

XII.—Tying-up with Compound Harness.

XIII.—Tying-up for Gauze Fabrics.

Modifications of the Single Lift Jacquard Machine.

I.—Double Lift Single Cylinder Jacquard Machine.

II.—Double Lift Double Cylinder Jacquard Machine.

III.—Substitution of Tail-cords for Hooks.

Tying-up of Jacquard Harness for Two-ply Ingrain Carpet.

Straight-through Tie-up.

Point Tie-up.

APPENDIX:

Preparing and Stamping of Jacquard Cards.
Dobby Card-Punching Machines.

Piano Card-Stamping Machines.
Stamping, Repeating and Lacing.

HINTS TO LEARNERS OF JACQUARD DESIGNING:

Point Paper to Use, etc.

Sketching of Designs for Fabrics to be executed on the Jacquard Machine.

Enlarging and Reducing Figures for Sketches

Transferring of the Sketch to the Squared Paper

Outlining in Squares

The Shading of Textile Fabrics by the Weave.

Complete Circulars mailed upon application.

Textile Publishing Company

2154 North 21st Street

Philadelphia, Pa.

ALFRED SUTER ^{Textile} Engineer

200 Fifth Avenue - - NEW YORK

Importer of

Baer's Yarn & Cloth
Testing Apparatus.

Yarn Scales. Reels


Twist Testers

Evenness Testers

Conditioning Ovens

Strength & Elasticity

Tester for Cloth &
for Yarns



Yarn Numbering Scale

Ask for Prospectus on

Suter's Universal Yarn & Cloth Analysing Set

LAVIGNE & SUTER

French Twisted Wire Heddles

German Soldered Wire Heddles

French Reed Wires

French Tricolore Cotton Heddles

Reed Making Machine

Reed Cleaning Machine

Arcade Yarn Twisted & Braided

Raw Hide Pickers.

WRITE for Samples and Prices

WALTER W. HODGSON

CARD STAMPING AND REPEATING

FOR ALL TEXTILE FABRICS

ALSO REPEATING FOR THROW OVERS FOR
FINE AND FRENCH INDEX

315 West Lehigh Avenue

Philadelphia

DIXON'S

FLAKE GRAPHITE—the perfect natural lubricant.

GRAPHITE BRUSHES — for motors and generators.

BELT DRESSINGS—solid and paste, for belts of all kinds.

PIPE JOINT COMPOUND — for all screwed or flanged joints.

SILICA-GRAPHITE PAINT—a perfect protection for all metal work.

BOILER GRAPHITE—to clean boilers and keep them clean.

SEND FOR CATALOG NO. 61

Made in Jersey City, N. J., by the

Joseph Dixon Crucible Company

SAUQUOIT SILK MFG. CO.

INSULATING AND BRAIDING SILKS

Organzine, Tram and Hosiery Silks

Fast Dye Organzines for Woolen Manufacturers
a Specialty

Mills: Bethlehem, Pa., Philadelphia, Pa., Scranton, Pa.

New York Representative, Wm. Ryle & Co., 225 Fourth Ave.

Philadelphia Office, 4015 Clarissa St., Nicetown

Chicago Office, 206 So. Market St.

Boston Agents, Messrs. Stelle & Sherman, 78 Chauncy St.

For

Cotton, Silk, Artificial Silk, Worsted
and Woolen Fabrics

there is a heddle made by the

STEEL HEDDLE MFG. CO.

Philadelphia, Pa.

World's leading Manufacturers of the Flat Steel
Heddle, Universal and Ideal Frame

N-ever *W*-ear *O*-ut Doup Heddle, Reed Wire
Silk and Cotton Reeds

Textile Calculations

A Complete Guide to Calculations Relating to the Construction of all Kinds of Yarns and Fabrics, the Analysis of Cloth, Speed, Power and Belt Calculations.

BY

E. A. POSSELT

Editor of *Posselt's Textile Journal*

**In One Vol., Quarto. Bound in Cloth, 186 Pages,
Numerous Illustrations. Price Two Dollars, Post-
age Prepaid, Delivery Guaranteed.**

ABSTRACT OF THE CONTENTS

YARN AND CLOTH CALCULATIONS

Grading of the Various Yarns Used in the Manufacture of Textile Fabrics According to Size or Counts. To Find the Equivalent Counts of a Given Thread in Another System. To Ascertain the Counts of Twisted Threads Composed of Different Materials. To Ascertain the Counts for a Minor Thread to Produce, with Other Given Minor Threads, Two, Three or More Ply Yarn of a Given Count. To Ascertain the Amount of Material Required for Each Minor Thread in Laying out Lots for Two, Three or More Ply Yarn. To Ascertain the Cost of Two, Three or More Ply Yarn. To Find the Mean or Average Value of Yarns of Mixed Stocks. Reed Calculations. Warp Calculations. Filling Calculations. To Ascertain the Amount and Cost of the Materials Used in the Construction of All Kinds of Plain and Fancy Cotton and Woolen Fabrics.

STRUCTURE OF TEXTILE FABRICS

The Purpose of Weave that the Fabric will be Subject to. The Nature of Raw Materials. Counts of Yarn Required to Produce a Perfect Structure of Cloth. To Find the Diameter of a Thread by Means of a Given Diameter of Another Count of Yarn. To Find the Counts of Yarn Required for a Given Warp Texture by Means of a Known Warp Texture with the Respective Counts of the Yarn Given. Influence of the Twist of Yarns upon the Texture of a Cloth. To Find the Amount of Twist Required for a Yarn if the Counts and Twists of a Yarn of the Same System, but of Different Counts, are Known. Influence of the Weave upon the Texture of a Fabric. To find the Texture of a Cloth. To Change the Texture for Given Counts of Yarn from one Weave to Another. To Change the Weight of a Fabric without Influencing its General Appearance. To Find Number of Ends Per Inch in Required Cloth. Weaves Which will Work with the Same Texture as the two and two Twill. Weaves which will Work with the Same Texture as the three and three, four and four, etc., Twill. Selections of the Proper Texture for Fabrics Interlaced with Satin Weaves. Rib Weaves. Corkscrew Weaves. Two Systems Filling and One System Warp. Two Systems Warp and One System Filling. Two Systems Warp and Two Systems Filling.

ANALYSIS

How to Ascertain the Raw Materials Used in the Construction of Textile Fabrics. Microscopical Appearance of Fibres. Tests for Ascertaining the Raw Materials Used in the Construction of Yarns or Fabrics. How to Ascertain the Percentage of Each Material Constituting the Fabric. How to Test the Soundness of Fibres or Yarns. How to Test Given Counts of Yarn. How to Ascertain the Weight of Cloth. How to Calculate the Weight. How to test and Analyze the Various Finishes. Cotton Spinning.

SPEED, BELTING, POWER, Etc.:

Speed. Belting. Water Power. Steam Power. Heat.
Arithmetic. U. S. Measures. Metric System.

Complete Circulars mailed upon application.

Textile Publishing Company
2154 North 21st Street Philadelphia, Pa.




FIG. 40

Example.—Find the proper texture for warp and filling, and also ascertain the weight of flannel per yard from loom (exclusive of selvage). Cloaking: Warp 5-run, filling 5-run, backing 2½-run. Weave, see Fig. 40 (8 warp threads and 12 picks in repeat). Take-up of warp, 10 per cent. Width of cloth in reed, 72 inches (exclusive of selvage).

5-run=8,000 yards per lb.

$\sqrt{8,000}$, less 16 per cent.=75 ends of 5-run yarn will lie side by side in one inch.

$75 \times 4 = 300 \div 6 = 50$ ends of warp must be used per inch, and

$50 \times 72 = 3,600$ ends must be used in full warp.

$100 : 90 :: x : 3,600$

$3,600 \times 100 = 360,000 \div 90 = 4,000$ yards of warp yarn are required per yard cloth woven.

5-run yarn=500 yards per oz. $4,000 \div 500 = 8$ oz. of warp yarn are wanted.

52 picks (50+2 extra) of face filling,

26 picks (corresponding to face picks) of back filling, } are wanted per inch

$52 \times 72 = 3,744$ yards of face filling are wanted.

$3,744 \div 500 = 7.5$ oz., weight of face filling.

$26 \times 72 = 1,872$ yards of backing are required.

$1,872 \div 250$ (yards of 2½-run filling per oz.)=7.5 oz., weight of backing.

Warp, 8.00 oz.

Face filling, 7.50 "

Backing, 7.50 "

23.00 oz.

Answer.—Total weight of cloth per yard from loom (exclusive of selvage), 23 oz.

SELECTION OF THE PROPER TEXTURE FOR FABRICS BACKED WITH WARP; i. e., CONSTRUCTED WITH TWO SYSTEMS OF WARP AND ONE SYSTEM OF FILLING.

To ascertain the texture of the warp in these fabrics we must first consider the counts of the yarn as used for the face structure, and secondly the weave.

After ascertaining this texture (for the single cloth) we must consider the weave for the back warp; i. e., the stitching of the same to the face cloth. If dealing with a weave of short repeat for the back warp (for example a $\frac{1}{3}$ twill) we must allow a correspondingly heavy deduction from the threads as ascertained for the face cloth (about 20 per cent. for the $\frac{1}{3}$ twill); whereas, if dealing with a far-floating weave for the back (for example the 8-leaf satin) we will have to deduct less (about 10 per cent. for the 8-leaf satin) from the previously ascertained texture of the face cloth. Since the 8-leaf satin is about the most far-floating weave, as used for the backing, thus, 10 per cent. will be about the lowest deduction, and as the $\frac{1}{3}$ twill is the most frequently interlacing weave, in use in the manufacture of these fabrics, thus, 20 per cent. deduction from the respectively found texture of the face cloth is the maximum deduction. To illustrate the subject more clearly to the student we will give both weaves as previously referred to with a practical example.

Example.—Find warp texture for the following fabric: Fancy worsted trousering.

Weave, see Fig. 41. Face warp, 2/36's worsted. Back warp, single 20's worsted.

2/36's worsted=90 threads (side by side per inch).

Face weave $\frac{2}{3}$ twill=4 threads in repeat and 2 points of interlacing.

$90 \times 4 = 360 \div 6 = 60$ threads, proper warp texture for the single structure.

60

—12 (20 per cent. deduction caused by the back warp ($\frac{1}{3}$ stitching in the face structure).

48



FIG. 41.

Textile Machinery Relating to Weaving

By E. A. POSSELT

Editor of *Posselt's Textile Journal*.

A treatise giving Descriptive Illustrations of the Construction and Operation of Various Looms, Jacquards, Warpers, Beamers, Slashers, Spoolers; also Illustrating and Explaining Different makes of Shuttles, Temples, Pickers, Reeds, Heddles, Harnesses, etc.,

FOR THE USE OF

Manufacturers, Mill Managers, Designers, Boss Weavers, Loom Fixers, Students and Inventors.

Published in Two Parts, each treating Different Machinery, Classified in Separate Chapters as follows:

Shedding Mechanisms.

Box Motions and Shuttle Boxes.

Let-off Mechanisms.

Take-up Mechanisms.

Warp Beams.

Stop Motions.

Picking Mechanisms.

Shuttles.

Temples.

Reeds and Reed Motions.

Heddles and Harnesses.

Jacquards and Card Stampers.

Spoolers, Winders and Reels.

Warpers and Beamers.

Miscellaneous Machinery.

Both Parts, with Over 1200 Illustrations, describe nearly 500 items of different Machinery, Devices and Supplies, Relating Directly to the Weave Room.

Each Volume Bound in Cloth, Price \$1.50, Postage prepaid. Delivery guaranteed.

Price of Both Volumes if ordered at one time \$2.50, Postage prepaid, Delivery guaranteed.

Complete Circulars of both books mailed upon application.

Textile Publishing Company
2154 North 21st Street Philadelphia, Pa.

SHEDDING MECHANISMS.

THE KNOWLES SHEDDING MECHANISM.

This mechanism is shown in the accompanying three illustrations, of which Fig. 1 shows the complete shedding mechanism; Fig. 2 shows the top and bottom cylinders, also the vibrator and jack attachment, Fig. 3 shows the box mechanism for raising and lowering the shuttle boxes.

a, indicates arch of loom frame, *b*, the loom frame *c*, the bolts for fastening the arch *a*, on to loom frame *b*, *d*, indicates the top cylinder for operating shedding mechanism *e*, the bottom cylinder for operating shed-

g is a small rod running across the top of jacks for holding them down on the rod *k*.

l, chain cylinder gear, fastened to the chain cylinder *l'*, by means of a soft set screw (not shown), so that provided any catch occurs no other breakage but the breaking of said soft set screw will result; *l''*, the boxes for holding chain cylinder and which can be raised or lowered by set screws *l'''*.

m, two elliptical gears for transferring the characteristic fast and slow motion to chain cylinder *l*. To the right of these two elliptical gears *m*, are seen two spur




Fig 1

ding mechanism, *d*, the part of top cylinder for operating shuttle boxes, *e*, the part of bottom cylinder for operating shuttle-boxes; *f*, the vibrator levers; *g*, the vibrator gears, *h*, the vibrator connectors; *i*, the harness jacks, *j*, the comb for keeping them in proper position.

Vibrator lever, gear and connector are the same for shedding and box mechanism, with the exception of the long connector *h'*, used for raising single box.

k, arbor of harness jacks, fulcrumed to rod *k*, fastened to the lower extension of arch *a*, of the loom frame

gears, of which the lower situated is a double spur gear. The outside gear of the double spur gear, is smaller and meshes into the teeth of the chain cylinder gear *l*.

n, the reverse key, held in position by casting *n'*, bolted on to loom frame *a*. This reverse key acts as a shaft for all the upper sections of previously referred to three sets of gears. It has a double key set in its shaft. When the loom is in motion and the chain cylinder running forward, one of the lips fastens the top elliptical gear and also the previously referred to outside situated upper gear, which meshes with the chain cylinder gear *l*. If required to reverse the chain cylinder the reverse key *m*, is drawn out, in turn liberating the top elliptical gear and fastening the middle spur

gear, which meshes with the bottom double spur gear, thus in turn reverses the chain cylinder gear and its cylinder.

Spring o , connects to the lock knife o' . (See Fig. 3.) This lock knife is operated by means of finger o'' , fastened to rod o''' by a set screw, and which finger in turn is operated by a cam (not shown) fastened on the bottom cylinder v .




Fig. 2

Three upright arms (one on each end and one in centre of the head motion) extending upward on shaft o''' hold lock knife o' by means of set screws.

As the chain ball (riser) of pattern chain p , comes under the heel of the vibrator lever f , the cam which

operates the finger o'' of the lock knife must be on its highest part, which causes the knife to be out, allowing the vibrator lever f , to change according to pattern chain. As the low part of the cam comes around, the spring o will immediately pull the lock knife in between the ends of the vibrator lever f , holding them steady while vibrator gears g , are rotating.

p is the chain rack for holding the chain in position and away from the jacks i .

Vibrator levers f , are fulcrumed on rod f' , and held in position by shell j'' .

Every vibrator connector h , has connected to it a follower-lever u , the object of which is to keep connector h , from flying back when the harness rises. Every follower-lever is pressed down by means of a spring q' , held in position by rack q'' and turns on shaft q''' . Cylinders d and e , are driven by bevel gears r and r' , which in turn are driven by bevel gears s and s' keyed to upright shaft t , driven either from crank shaft or bottom shaft of the loom as required.

u , is a hand wheel used by the operator for turning harnesses by hand when necessary.

h' , is the lever for a single box lift (box No. 2); r , compound lever for raising box 3 and 4; e' , brace for holding compound lever in position; v'' , the pulleys around which box chain v'' , runs for raising the boxes.




Fig. 3

A. W. BUHLMANN

Textile-Engineer

200 Fifth Ave.



New - Y o r k

Sole representative in the U. S. A. and Canada
for

Herm. Schroers, Maschinenfabrik

CREFELD

The foremost builders of Silk-Velvet-and
Plush looms.

Fine index Jacquard machines with endless
paper card system "Verdol."

Saechsische Webstuhlfabrik

CHEMNITZ

Pioneer builders of Carpet-looms, for Wiltons,
Brussels, Axminsters and Tapestry.

Looms for Hair-cloth, Felts, Turkish-towels,
Astrachans and Specialties.

Cotton Manufacturing

A Complete Treatise on Modern Processes and Machinery Used in Connection with Cotton Spinning, Including all Calculations Required. Published in Two Parts.

By

E. A. POSSELT

Editor of *Posselt's Textile Journal*

Volume 1 Gives on 200 pages a Complete Description of the Manufacture of Cotton Yarns from Planting the Seed to the Sliver, ready for the Drawing or Combing; Covering: Fibre, Ginning, Mixing, Picking, Scutching and Carding.

Volume 2 Takes up the subject where Volume 1 leaves off, 300 pages, covering: Combing, Drawing, Roller Covering and Fly Frames, *i. e.*, the transforming of the Sliver into Roving for the Ring Frame or the Mule.

Each Volume, Richly Illustrated, Bound in Cloth, Price Three Dollars, Postage prepaid, Delivery guaranteed.

Price of Both Volumes, if ordered at one time Five Dollars, Postage prepaid, Delivery guaranteed.

Complete circulars of Both Books mailed upon application.

Textile Publishing Company

2154 N. 21st Street

Philadelphia, Pa.

with the flats, we find that the bristles are mounted in two double series (extending diagonally across the width of the roller) in lags *A* and extend through brass plates *B*. The length which these bristles extend outside of plate *B* is regulated by a screw *C*, thus permitting ready adjustment of the bristles when worn, in order that they penetrate the teeth of the flats to the proper extent. It will be readily understood that the bristles of the brush penetrate the clothing of the flats deeper than do the wire teeth *D* which do the actual stripping, whereas the bristles will effect a thorough cleaning of the foundation of the clothing of the flats. Above the brush is mounted a tooth clearer *E* which in its normal position has its wire teeth *G* held only slightly in contact with the wire teeth *D* of the brush by means of a spring *F*, the action of its wire teeth on the wire points of the stripping brush being only to press the strippings into the latter and thus prevent their falling into the flats again. When it is necessary to clean the brush, the clearer *E* is moved from its position above the brush down to the lower position *E'* shown in the illustration and then pressed inward so that its wire teeth *G'* will penetrate into the wire portion of the brush, and when in turn the clearer is bodily moved up to its former position *E* while the brush is rotated in the opposite direction, this procedure effectually cleaning the wire clothing of the brush. The brush when in operation is driven at a slow speed, from 5 to 10 revolutions per minute, and on account of this as well as the few bristles used in its construction and their manner of adjustment, does not require to be singed, permitting also at the same time ready replacing of the bristles when worn.

Another stripping and cleaning apparatus for cleaning the flats of revolving flat cards is shown in its section by Fig. 96. The apparatus




FIG 96.

consists of the combination of a separate wire stripping brush *A* and a separate spiral bristle brush *B*, both of small diameter, carried by two end discs *C*, and revolving or traveling round the axis of a central driving shaft *D*. Both brushes (*A* and *B*) are driven by special gear wheel arrangement in such a manner that they are caused to revolve on their own axes at the same time, and in the same direction as they are traveling round said central driving shaft *D*. A circular comb *E*, also driven by special gear wheel mechanism, is attached, which strips or clears both brushes (*A* and *B*) automatically while the apparatus is at work, and in this manner the two brushes are always kept clean and efficient to perform their work. A hinged guard

serves the purpose to keep the slivers better down on the spoons *G*, thus obtaining a prompt action of the stop motion. From the spoons *G*, the slivers pass down a specially shaped guide plate *H*, each sliver being kept separated from the others by means of grooves or channels *I*, through which they pass. The slivers are in this manner brought




FIG. 106

together and made into a comparatively level sheet without overlapping each other as they enter the series of drawing rolls *J*, side by side. The object of the machine is not to draw the slivers out, but to lay them side by side in the form of an even lap, for which reason the draft in the rollers *J* is just enough to prevent bulkiness of the lap and should not exceed about $1\frac{3}{4}$ to 2. Emerging from the drawing rolls *J*, the cotton




FIG. 107

is conducted between a pair of heavy calender rolls *K*, which compress it into a sheet or lap which enables it to be rolled up. The top calender roller *K* is weighted either by a spring or lever arrangement at each end, with from 80 to 140 lbs. pressure. After the cotton leaves the calender rollers *K*, it is wound in the form of a lap *L*, upon the wooden spool *N*



No. 4

Cuts No. 1 and No. 2 show rewound filling bobbins, made any size from seven-eighths to two inches diameter, up to 12 inches long, and contain from 200 to 300% more than ordinary spinning bobbins. Any kind of coarse yarns can be rewound to advantage by spinning the filling on warp bobbins, which makes them large enough to fill one shuttle bobbin. By this process two doffings are saved in the spinning room, a perfect shuttle bobbin would be insured, free from knots, less waste, perfect selvages and fewer imperfections in cloth.

These bobbins are suitable for any kind of duck, tire fabrics, denims, upholstery, asbestos, ratana or any kind of plain or fancy yarns for automatic or other looms.


Cuts No. 3 and No. 4 show cops to weave from the inside from seven-eighths to three inches diameter and up to fifteen inches long. Suitable for heavy woolens, linen, jute, cotton bagging, asbestos, cocoa matting, paper, etc.



No. 3



No. 1



No. 2

OSWALD LEVER COMPANY, Inc.,

Manufacturers of Textile Machinery.

Winders a Specialty.

FRONT ST. and LEHIGH AVE. - - PHILADELPHIA, PA.

POSSELT'S TEXTILE LIBRARY, Vol. II.

WOOL DYEING, Part 1

By WALTER M. GARDNER, F. C. S.

Director of the Dyeing Department of the Textile School in Bradford, England.

In one Vol., Quarto, Bound in Cloth, Illustrated. Price, \$2.00. Postage prepaid. Delivery guaranteed.

Table of Contents: Wool Fibre. Wool Scouring. Bleaching of Wool. Water. Mordants. Assistants and other Chemicals. Appendix.

POSSELT'S TEXTILE LIBRARY, Vol. VIII.

WOOL DYEING, Part 2

By GARDNER and KNAGGS.

In one Vol., Quarto, Bound in Cloth. Price, \$2.00. Postage prepaid. Delivery guaranteed.

ABSTRACT OF CONTENTS:

Classification of Coloring Matters.

NATURAL DYESTUFFS:

Logwood; Soluble and Insoluble Redwoods; Madder; Cochineal, Kermes and Lac-Dye; Orchil, Cudbear and Allied Coloring Matters.

Yellow Dyes: Weld; Quercitron Bark and Flavin; Persian Berries; Young and Old Fustic; Turmeric; Catechu, Cutch, Gambier.

Indigo.

ARTIFICIAL DYESTUFFS:

Classification of Coal-Tar Dyes. Artificial Mordant Dyes. Acid Mordant Dyes. Acid Dyes. Direct Cotton Dyes suitable for Wool. Basic Dyes. Dyes applied by Oxidation, Reduction and other Special Processes. Metallic Dyes. Methods for Dyeing Wool in Various Forms. Suitability of Dyes for different Classes of Work. Theory of Dyeing.

Complete Circulars of both books mailed upon application.

Textile Publishing Company

2154 North 21st Street

Philadelphia, Pa.

BERLIN ANILINE WORKS

213-215 WATER STREET, - NEW YORK

Acid and Chrome Colors

Metachrome Colors

Direct and Developed Colors

Sulphur Colors

BRANCHES:

BOSTON, PHILADELPHIA, CHICAGO, CHARLOTTE
MONTREAL: McArthur, Irwin, Ltd.

TORSION BALANCE TEXTILE SCALES

These scales have revolutionized Textile Testing. Determinations obtained without calculation or the use of weights.

**SCALES FOR THE FOLLOWING
PURPOSES:**

Number of yards per pound; Number of ounces per yard; Size Number of Cotton, Woolen or Worsted Yarns; Exact Weight per Pair or per Dozen Pair of Hose or Undergarments.
Dye Scales for Sample Batches.



Style No. 5005

The Torsion Balance Company

Factory: JERSEY CITY, N. J. Office: 92 READE ST., NEW YORK, N. Y.
San Francisco, Cal.

I. A. HALL & CO., Paterson, N. J.
&
**The Allentown Reed, Harness & Mill
Supply Co., Allentown, Pa.**


Manufacturers, Dealers and Importers of

Reeds, Harness, Shuttles, Quills,
and General Silk Mill Supplies

Sole agents for Grob's Flat Steel Heddles

Twisted Wire Heddles :: Heddle Frames, Etc.

F. G. LENTZ & CO.



**Designers,
Card Stampers
and Harness
Builders**

FOR ALL TEXTILE FABRICS

Mascher, Waterloo and York Streets
Both Phones **PHILADELPHIA, PA.**

Charles BOND Company

MANUFACTURERS OF

OAK TANNED LEATHER BELTING

APRONS AND ROLL COVERS

IMPORTERS OF LEATHERS
FOR TEXTILE INDUSTRIES

GENERAL MILL FURNISHERS

520 Arch St. :: Philadelphia, Pa.

CHENEY SILK YARNS

The quality of the yarn determines the quality
of the woven fabric.

Manufacturers of silks and silk-mixture goods have found
by experience that Cheney Silk Yarns meet every
demand for quality and uniformity.

Made in singles and doubles, organzines and trams—put
up as desired on spools, cones, warped or in the hank.

Special silk yarns made to order for any purpose.

CHENEY BROTHERS, *Silk Manufacturers*
4th Ave. and 18th St., New York



3 2922 00370 330 0

This B

is the best Mill and
Loom Duster
at the price on
the market

WRITE
FOR
PRICES
AND
WE
WILL
GLADLY

SUBMIT
SAMPLE ON

REQUEST ON YOUR
BUSINESS LETTER HEAD

WE MANUFACTURE & REPAIR

Let us estimate **MACHINE BRUSHES OF ALL**
on your work **DESCRIPTIONS**

M. COCKER & CO., Phila., Pa.

CUT YOUR DESIGNS ON

ONE OF THE GRADES OF

LANE JACQUARD CARDS

LACE THEM WITH

**LANE CARD LACING
AND GET RESULTS**

ALBERT A. LANE

73 WARREN ST.

NEW YORK

“GOOD WEAVING RESULTS”

use

Picker & Cards

Potter & Johnston Machine Co.,

PAWTUCKET, R. I.

Roving & Drawing Frames

Woonsocket Machine & Press Co.,

WOONSOCKET, R. I.

Spinning & Twisting Frames

Fales & Jenks Machine Co.,

PAWTUCKET, R. I.

